/A.L./   4/28/2008

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S40	14273	((modify$3 updat$3 chang$3 revis$3) near5 ((rout$3 switch$3 path topology configuration) near (table list data matr $3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/26 22:08
S41	4742	((modify$3 updat$3 chang$3 revis$3) adj ((rout$3 switch $3 path topology configuration) adj (table list data matr $3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/26 22:09
S42	2998	((modify$3 updat$3 chang$3 revis$3) adj ((rout$3 switch $3 path) adj (table list data matr$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/26 22:18
S43	3103	((modify$3 updat$3 chang$3 revis$3) adj ((rout$3 switch $3 path) adj (table list data matr$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 12:14
S44	108 read most	S43 & (compar$3 near2 ((rout$3 switch$3 path) adj (table list data matri $3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 12:14
S45	6 read all	((detect$3 sens$3) near5 ((rout$3 topology) near change)) with (upstream upper)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 17:16
S46	7	((detect$3 sens$3 monitor$3) near5 ((rout$3 topology) near change)) with (upstream upper)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 17:21

S47	9	((detect$3 sens$3 monitor$3) near5 ((rout$3 topology) near chang$3)) with (upstream upper)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 17:21
S48	9	((detect$3 sens$3 monitor$3) near5 ((rout$3 topology) near chang$3)) with (upstream upper preceed$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 17:23
S49	15	((detect$3 sens$3 monitor$3) near5 ((rout$3 topology) near chang$3)) same (upstream upper preceed$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 17:24
S50	55 read most	((detect$3 sens$3 monitor$3) near5 ((rout$3 topology) near chang$3)) same (upstream upper preceed$3 previous prior)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 17:24
S51	93 read some	((detect$3 sens$3 monitor$3 find$3 determin$3) near5 ((rout$3 topology) near chang$3)) same (upstream upper preceed$3 previous prior)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 17:25
S52	0	((send$3 transmit $3) near (rout$3 adj message)) with ((trigger$3 initiat $3) near3 (rout$3 near (optimiz$6 reconfigurat$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 19:40
S53	0	((send$3 transmit $3) near (rout$3 adj message)) same ((trigger$3 initiat$3 prompt$3) near3 (rout$3 near (optimiz$6 reconfigurat$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 19:41

S54	0	((send$3 transmit $3) near3 (rout$3 near message)) same ((trigger$3 initiat$3 prompt$3) near3 (rout$3 near (optimiz$6 reconfigurat$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 19:41
S55	0	((send$3 transmit $3) near3 (rout$3 near message)) and ((trigger$3 initiat$3 prompt$3) near3 (rout$3 near (optimiz$6 reconfigurat$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 19:42
S56	71 read some	((trigger$3 initiat$3 prompt$3) near3 (rout$3 near (optimiz$6 reconfigurat$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 19:42
S57	2 read all	(notification notify $3) with ((trigger$3 initiat$3 prompt$3) near3 (rout$3 near (optimiz$6 reconfigurat$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/27 19:43

4/28/2008 9:42:50 AM
C:\ Documents and Settings\ ALai1\ My Documents\ EAST\ Workspaces
\ 10518140_mbl_IP_routing.wsp